

HOME STANDARDS – WINDOWS AND DOORS

• WINDOWS

Passive, frameless, cost-saving wood-aluminium Alphawin windows with triple glass thermal insulation
 $U_g = 0.5 \text{ W}/(\text{m}^2 \cdot \text{K})$, Solar Factor $g = 54\%$

$U_g = 0.5 \text{ W}/(\text{m}^2 \cdot \text{K})$, Solar Factor $g = 62\%$
(South East facing)

Exterior aluminium – Anthracite (RAL 7016 MATT)

Interior colour – Natureffekt Farbloss shade (53 700-Adler), Intermedio, TIG Farbloss 57 700

<https://www.stolarstvivasicek.cz/okna-alphawin.php>

Roof skylight: 600 × 900 mm, in passive standard



- **EXTERIOR DOOR**

Passive entrance door – full flush type + fix, 48 mm triple glass – matt, covered with exterior aluminium sheet in RAL 7016 MATT shade, 70 cm long outside square handle – brushed stainless steel, high-security multi-point lock, interior Mini-C handle with ENTERO security rosette fitting – SNI finish.

Interior colour – Natureffekt Farbloss shade (53 700-Adler)



<https://www.stolarstvivasicek.cz/vchodove-dvere.php>

- **GARAGE ENTRY DOOR**

Non-passive wood-aluminium full flush door, wood-aluminium frame, solid wooden door leaf, Alphawin system, 78 mm profile, high-security multi-point lock, interior Mini-C handle with ENTERO security rosette fitting – SNI finish, RAL 7016 MATT shade sprayed on both sides.

- **INTERIOR DOOR**

SAPALI – Damier 15, solid with lining door frame, veneered surface I, hardware: MaT Nova square rosette – stainless steel

<https://www.sapeli.cz/eu>

+ Frameless glass sliding door SAPGLASS Sapelux 8mm, veneered surface I, hardware: CH 300 pull handle – stainless steel

<https://www.sapeli.cz/eu>

- **GARAGE DOOR**

Sectional electric garage door with remote control:

Manufacturer: Doorhan – Univers Tech

Type: RSD01 HYBRID

Panels: 40 mm wide, filled with polyurethane foam

Colour: 10 RAL standard colours

<http://www.univers.cz/garazova-vrata>

**Images shown are for illustrative purpose only.*